



PRODUCT IMAGE

CARTRIDGE TYPE: CU
MEDIA TYPE: NATURAL COTTON

DESCRIPTION: Used for potable liquids, vegetable oils, beverages, organic solvents, water, dilute acids, petroleum oils and other services.

CENTER CORE: Tin, S/S304, S/S316, Polypropylene

END TREATMENT: Metal cap w/topspring, Poly Flat Cap, Poly Fin, Poly Spring,

INSIDE DIAMETER: 1"

OUTSIDE DIAMETER: 1.75", 2", 2.125", 2.375", 2.4375", 2.50", 2.625", 2.75", 3", 4", 4.25", 4.5", 6"

MICRON RATINGS: .5, 1, 3, 5, 10, 15, 20, 25, 30, 50, 75, 100, 150, 200

LENGTH: 5" - 72"

RECOMMENDED CHANGE OUT: 35 PSID

FLOW RATE: 0 - 6 GPM Per 2.5"x10" Length

MAXIMUM MEDIA TEMPERATURE: 300 F



MEDIA

CU	Natural Cotton
CF	FDA Bleached Cotton
CE	White (bleached) Cotton
PF	Twisted Fibrillated Poly
FP	FDA Polypropylene
EP	Polypropylene
NY	Nylon
RA	Rayon
PE	Polyester
FG	Fiberglass
* CALL FOR OTHERS	

MICRON RATINGS

.5	1	3	5
15	20	25	30
50	75	100	
125	150	200	

ELEMENT DIAMETER

E-2 1/4 = 2.125, F-2 3/8 = 2.375, C-2 7/16 = 2.4375
 R-2 1/2 = 2.5, S-2 3/4 = 2.75, L-4 1/4 = 4.25, W-3"
 X-4 1/2 = 4.5, G-2", Q-4", N-2 5/8 = 2.625
 B-1 3/4 = 1.75, Z-5 1/2 = 5.5, Y-6"

INCHES LENGTH

5, 9 3/4, 10, 12, 12 1/2, 19 1/2, 20, 27
 29 1/2, 30, 36, 39, 40, 50, 60, 68, 70, 72
 *SPECIAL LENGTHS AVAILABLE UPON REQUEST

CORE EXTENSION

PE	Poly Extender
S/S	Extender

END TREATMENT

MCS	Metal Cap w/topspring
PFC	Poly Flat Cap
PFN	Poly Fin (Spear)
PSC	Poly Spring
222	End Cap
226	End Cap

CORE COVER

CC	Core Cover
V	Specified Cover
CB	Carbon Cover

O-RING MATERIAL

S	Silicon
B	Buna
V	Viton

CORE MATERIAL

P	Polypropylene
T	Tin Plated Steel
S	304 Stainless Steel
A	316 Stainless Steel

*SPECIAL LENGTHS AVAILABLE UPON REQUEST

NOMENCLATURE

Information and data presented here is believed to be reliable but is not warrant of product performance. Verification testing is recommended to determine suitability for any particular use. Actual cartridge performance will vary with liquid conditions. Product characterizations are based on the average performance of duplicate cartridge's samples selected at random.